

CYTOHISTOLOGY OF SMALL TISSUE SAMPLES

Published in association with the **Papanicolaou Society of Cytopathology**

Series Editors: **Kim Geisinger & Martha B. Pitman**


Breast Cytohistology

Edited by:

Joan Cangiarella

Aylin Simsir

Sana O. Tabbara



CAMBRIDGE

Medicine



Each volume in this richly illustrated series – **Cytohistology of Small Tissue Samples**, published in association with the Papanicolaou Society of Cytopathology – provides an organ-based approach to the cytological and histological diagnosis of small tissue samples, including fine-needle aspiration biopsy, cell block samples, and core biopsies. Benign, pre-malignant, and malignant entities are presented in a well-organized and standardized format, supported with high-resolution color photomicrographs, tables, and lists of key specific morphologic criteria. Example vignettes allow the reader to assimilate the diagnostic principles in a case-based format. This unique series strengthens the bridge between surgical pathology and cytopathology, providing the pathologist with the ability to diagnose small tissue samples with confidence.

This volume provides comprehensive coverage of both surgical pathology and cytopathology of breast lesions. With a focus on malignant tumors, the full spectrum of inflammatory disorders, benign lesions, hyperplasias, and premalignant conditions are also covered in detail. Advantages and disadvantages of aspiration and core biopsy are discussed, as well as ancillary testing such as hormonal and molecular markers.

With over 200 printed photomicrographs and a CD-ROM offering all images in a downloadable format, this is an important resource for all anatomic pathologists.

Joan Cangiarella is Interim Chair of Pathology, New York University School of Medicine, New York, USA.

Aylin Simsir is Director of Cytopathology, New York University School of Medicine, New York, USA.

Sana Q. Tabbara is Director of Anatomic Pathology and Chief of Surgical Pathology at The George Washington University, Washington DC, USA.

Other titles of interest:

Cytohistology: Essential and Basic Concepts

Edited by Prabodh Gupta and Zubair Baloch
(ISBN 9780521883580)

Lung and Mediastinum Cytohistology

Edited by Syed Z. Ali and Grace C. H. Yang
(ISBN 9780521516587)

Musculoskeletal Cytohistology

Lester J. Layfield et al. (ISBN 9781107014053)

Lymph Node and Spleen Cytohistology

Andrew Field and William R. Geddie
(ISBN 9781107026322)

CAMBRIDGE
UNIVERSITY PRESS

www.cambridge.org

ISBN 978-0-521-51553-5



CYTOHISTOLOGY OF SMALL TISSUE SAMPLES


BREAST CYTOHISTOLOGY

Edited by

Joan Cangiarella

Aylin Simsir

Sana O. Tabbara



CAMBRIDGE
UNIVERSITY PRESS

CAMBRIDGE
UNIVERSITY PRESS

University Printing House, Cambridge CB2 8BS, United Kingdom

Published in the United States of America by Cambridge University Press, New York

Cambridge University Press is part of the University of Cambridge.

It furthers the University's mission by disseminating knowledge in the pursuit of education, learning and research at the highest international levels of excellence.

www.cambridge.org

Information on this title: www.cambridge.org/9780521515535

© Cambridge University Press 2013

This publication is in copyright. Subject to statutory exception and to the provisions of relevant collective licensing agreements, no reproduction of any part may take place without the written permission of Cambridge University Press.

First published 2013

Printed in Spain by Grafos SA, Arte sobre papel

A catalogue record for this publication is available from the British Library

Library of Congress Cataloguing in Publication data

Cangiarella, Joan.

Breast cytohistology / edited by Joan Cangiarella, Aylin Simsir, Sana O. Tabbara.

pages cm – (Cytohistology of small tissue samples)

Includes index.

ISBN 978-0-521-51553-5 (Hardback)

1. Breast–Cancer–Diagnosis. 2. Breast–Tumors. 3. Cytodiagnosis. I. Simsir, Aylin. II. Tabbara, Sana O. III. Title.

RC280.B8C34 2013

616.99'449075–dc23 2013004678

ISBN 978-0-521-51553-5 Mixed Media

ISBN 978-1-107-05826-2 Hardback

ISBN 978-1-107-67010-5 DVD-ROM

Cambridge University Press has no responsibility for the persistence or accuracy of URLs for external or third-party internet websites referred to in this publication, and does not guarantee that any content on such websites is, or will remain, accurate or appropriate.

All material contained within the CD-ROM is protected by copyright and other intellectual property laws. The customer acquires only the right to use the CD-ROM and does not acquire any other rights, express or implied, unless these are stated explicitly in a separate licence.

.....
Every effort has been made in preparing this book to provide accurate and up-to-date information which is in accord with accepted standards and practice at the time of publication. Although case histories are drawn from actual cases, every effort has been made to disguise the identities of the individuals involved. Nevertheless, the authors, editors and publishers can make no warranties that the information contained herein is totally free from error, not least because clinical standards are constantly changing through research and regulation. The authors, editors and publishers therefore disclaim all liability for direct or consequential damages resulting from the use of material contained in this book. Readers are strongly advised to pay careful attention to information provided by the manufacturer of any drugs or equipment that they plan to use.

BREAST CYTOHISTOLOGY

CYTOHISTOLOGY OF SMALL TISSUE SAMPLES

PUBLISHED IN ASSOCIATION WITH THE PAPANICOLAOU SOCIETY OF CYTOPATHOLOGY

Series editors: Kim Geisinger MD

Department of Pathology, Wake Forest University School of Medicine, Winston-Salem, NC, USA

Martha B. Pitman

Department of Pathology, Massachusetts General Hospital, Harvard Medical School, Boston, MA, USA

Other titles in this series

Cytology: Essential and Basic Concepts, Edited by Prabodh Gupta and Zubair Baloch (ISBN 9780521883580)

Lung and Mediastinum Cytology, Edited by Syed Ali and Grace C. H. Yang (ISBN 9780521516587)

Musculoskeletal Cytology, Lester J. Layfield, Carlos W. Bedrossian, Julia R. Crim, and Lucio Palombini
(ISBN 9781107014053)

Lymph Node and Spleen Cytology, Andrew Field and William R. Geddie (ISBN 9781107026322)

CONTRIBUTORS

Rachel F. Brem

Director, Breast Imaging and Intervention Center and Vice Chair of Radiology, The George Washington University, Washington, DC, USA

Joan Cangiarella

Interim Chair of Pathology and Associate Professor of Pathology, New York University School of Medicine, New York, NY, USA

Alejandro Luiña Contreras

Assistant Professor of Pathology, The George Washington University, Washington, DC, USA

Kasturi Das

Associate Professor of Pathology, University of Wisconsin-Madison, Madison, WI, USA

Samantha Easley

Assistant Professor of Pathology, The George Washington University, Washington, DC, USA

Alexander Finkelstein

Cytopathology Fellow, New York University School of Medicine, New York, NY, USA

Osvaldo Hernandez

Assistant Professor of Pathology, New York University School of Medicine, New York, NY, USA

Pascale Levine

Clinical Associate Professor of Pathology, New York University School of Medicine, New York, NY, USA

Xiaosong Li

Assistant Professor of Pathology, New York University School of Medicine, New York, NY, USA

M. Katayoon Rezaei

Assistant Professor of Pathology and Chief, Cytopathology Service, The George Washington University, Washington, DC, USA

Aylin Simsir

Director of Cytopathology and Professor of Pathology, New York University School of Medicine, New York, NY, USA

Wei Sun

Associate Professor of Pathology, New York University School of Medicine, New York, NY, USA

Sana O. Tabbara

Director of Anatomic Pathology and Chief of Surgical Pathology, The George Washington University, Washington, DC, USA

Abeer Tabbarah

Resident, The George Washington University, Washington, DC, USA

Jessica Torrente

Assistant Professor of Radiology, Breast Imaging and Intervention Center, The George Washington University, Washington, DC, USA

Xiao Jun Wei

Assistant Professor of Pathology, New York University School of Medicine, New York, NY, USA

Allison Yingling

Fellow, Breast Imaging, Breast Imaging and Intervention Center, The George Washington University, Washington, DC, USA

CONTENTS

<i>Contributors</i>	vi
1. Minimally invasive breast biopsy: the breast imager's perspective	1
<i>Jessica Torrente, Allison Yingling, and Rachel F. Brem</i>	
2. Advantages and disadvantages of FNA and core biopsies: diagnostic accuracy and precision for aspiration biopsy in the diagnosis of lesions of the breast	19
<i>Joan Cangiarella and Aylin Simsir</i>	
3. Utility of aspiration and core biopsy of breast lesions and sentinel lymph nodes	27
<i>Abeer Tabbarah and Sana O. Tabbara</i>	
4. Benign entities	36
<i>Pascale Levine and Joan Cangiarella</i>	
5. Epithelial lesions: benign and premalignant lesions	73
<i>Samantha Easley</i>	
6. Epithelial lesions: invasive tumors	96
<i>M. Katayoon Rezaei</i>	
7. Fibroepithelial lesions	137
<i>Aylin Simsir and Alexander Finkelstein</i>	
8. Myoepithelial neoplasms	150
<i>Joan Cangiarella</i>	
9. Mesenchymal lesions	160
<i>Osvaldo Hernandez and Xiao Jun Wei</i>	
10. Hematopoietic lesions	181
<i>Kasturi Das and Wei Sun</i>	
11. Metastases to the breast	195
<i>Xiaosong Li and Aylin Simsir</i>	
12. Ancillary testing	204
<i>Alejandro Luiña Contreras</i>	
<i>Index</i>	211

1 MINIMALLY INVASIVE BREAST BIOPSY: THE BREAST IMAGER'S PERSPECTIVE

Jessica Torrente, Allison Yingling, and Rachel F. Brem

INTRODUCTION

Since the initial implementation of film-screen mammography in the 1970s as a screening exam for breast cancer, breast imaging has evolved by leaps and bounds. Today's breast imager utilizes multiple imaging modalities including full-field digital mammography (FFDM), ultrasound (US), and magnetic resonance imaging (MRI), and more recently, molecular imaging techniques including breast-specific gamma imaging (BSGI) and positron emission mammography (PEM) to aid in the evaluation of breast pathology. With these advances came the ability to diagnose smaller, non-palpable, and earlier-stage breast cancers. This carries with it the challenge of developing image-guided methods to provide a pathologic diagnosis in an accurate, cost-effective, and safe manner. The subsequent development of multi-modality techniques for minimally invasive, image-guided breast biopsy has largely occurred to help solve this diagnostic challenge.

The initial techniques for obtaining pathologic diagnoses of non-palpable, radiologic lesions included more invasive open surgical techniques, such as blind quadrantectomy or segmentomy. However, high rates of re-excision were reported. Therefore, the next development was preoperative internal needle and wire localization techniques, utilizing mammographic guidance. Wire-guided surgical breast biopsy was, until recently, the "gold standard" for the diagnosis of non-palpable radiographically detected breast lesions. However, this technique continued to be fraught with pitfalls, including inexact wire placement, dislodgement or fracture of placed wires, and a recovery rate of the radiographic abnormality anywhere from 2% to 20%.

However, one of the most consistent trends in medicine has been the steady strive to develop technology that allows

physicians to accurately and safely diagnose and treat patients via ever less invasive methods. Breast imaging and intervention has undergone great changes over the past several decades, due to the development of image-guided minimally invasive technologies. These techniques are now available utilizing all traditional forms of breast imaging, including mammographic (stereotactic), US, MRI and most recently, nuclear medicine guidance to include BSGI and PEM.

BREAST IMAGING REPORTING AND DATA SYSTEM (BI-RADS)

The Breast Imaging Reporting and Data System (BI-RADS) is a standardized imaging lexicon developed to facilitate the communication of results and recommendations between radiologists and referring clinicians and therefore the appropriate management of patients. Various groups, including the American College of Radiology, developed BI-RADS as a collaborative effort with the American College of Surgeons and the College of American Pathologists. Standard terminology is used to first describe and characterize mammographic findings and then the exam is coded as one of six categories of patient management (see Table 1.1). BI-RADS was initially developed for mammography, but now is used for all breast imaging modalities.

BI-RADS 1 and 2 examinations are normal or benign and yearly mammographic surveillance is recommended. BI-RADS 3 lesions are likely benign, meaning they have a less than 2% chance of malignancy. The appropriate management for a probably benign finding is a short interval follow-up. This is usually conducted in six-month intervals, for up to five years, to establish stability of lesions having a less than 2% likelihood of malignancy. The

Table 1.1: BI-RADS

<i>Code</i>	<i>Assessment</i>	<i>Management</i>
0	Incomplete	Additional work-up needed
1	Normal	Annual screening
2	Benign finding	Annual screening
3	Probably benign finding	Short interval follow-up
4	Suspicious abnormality	Biopsy recommended
5	Highly suggestive of malignancy	Appropriate action should be taken
6	Biopsy-proven cancer	Biopsy-proven, current cancer

rationale behind the BI-RADS 3 category is to reduce false positive biopsy rates while maintaining an acceptably high rate of diagnosing favorable, early-stage breast cancers. Inclusion criteria for a probably benign mammographic assessment are (1) a circumscribed mass (at least 75% circumscribed margins) less than 1 cm, (2) round, punctate, or oval microcalcifications or microcalcifications that are more diffusely distributed or loosely clustered, and (3) a focal asymmetry. A focal asymmetry is a space-occupying lesion, seen on at least two mammographic projections. BI-RADS 4 exams contain abnormalities with a probability of malignancy from 2% to 95%, and BI-RADS 5 exams greater than 95%. Biopsy is indicated for lesions in both these categories. Some BI-RADS 3 lesions do undergo biopsy, usually in patients who are high-risk or high-anxiety. A BI-RADS 6 designation is used to denote an exam demonstrating a biopsy-proven cancer. This is most commonly used for patients undergoing subsequent post-diagnosis imaging evaluation, such as for preoperative planning or re-assessment following neoadjuvant chemotherapy. BI-RADS 0 means the imaging evaluation is incomplete and either additional images, including other imaging modalities, or comparison with previous examinations, are needed. Of note, a BI-RADS 0 categorization is temporary and final assessment requires a designation of BIRADS 1–6.

STEREOTACTIC INTERVENTIONS

As mammography was the first examination used for the diagnosis of non-palpable breast cancers, it follows that this modality was the basis for image-guided biopsy of breast lesions. The minimally invasive biopsy of mammographic lesions employs stereotactic guidance, which today usually consists of microcalcifications. While masses can also be

targeted and biopsied via stereotaxis, a large multicenter trial performed in 2003 found that 70% of stereotactic vacuum-assisted biopsy (VAB) was performed for suspicious microcalcifications. Microcalcifications worrisome for malignancy are clustered (five or more particles per cubic centimeter), pleomorphic (varying in size and shape), or have a worrisome mammographic distribution, such as segmental or ductal (Figure 1.1). Nine percent of VAB were performed on masses with microcalcifications and 19% on masses without microcalcifications. Masses worrisome for malignancy demonstrate angular or spiculated margins and may distort the adjacent breast parenchyma. Two percent of biopsies were performed on architectural distortions alone, a mammographic finding where there is no visible mass, but the breast parenchyma is radiating from a central nidus, likely due to a scirrhous reaction.




Figure 1.1. A craniocaudal spot magnification view demonstrates a large cluster of pleomorphic microcalcifications. Also seen are multiple coarse benign calcifications.

Commonly, stereotactic breast biopsies are performed on a dedicated prone table. However, when more efficient use of space is a priority, an attachment to an existing